

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	9	"5978849"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:07
L6	1	"5978849" and (terminat\$3 adj request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:07
S2	1	10/713343	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:19
S3	0	("2005/0108397").URPN.	USPAT	OR	ON	2007/03/01 17:25
S4	0	"20050108397".in.	USPAT	OR	ON	2007/03/01 17:26
S5	0	basso.in. damon.in. fontes.in. verrilli.in.	USPAT	AND	ON	2007/03/01 17:27
S6	2	basso.in. damon.in. fontes.in. verrilli.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/01 17:27
S7	2827	basso.in. damon.in. fontes.in. verrilli.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 17:27
S8	135	S7 and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:37

EAST Search History

S9	3	S8 and ibm.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 17:28
S10	0	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and (web near3 farm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:47
S11	30	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:56
S12	24	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:27
S13	17	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114" and (tcp near3 connect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:03
S14	0	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114" and (tcp near3 connect\$4) and handshak\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:05
S15	17	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114" and (tcp near3 connect\$4) and (handshak\$3 or (line near3 discipline) or protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:47

EAST Search History

S16	0	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114" and (((tcp near3 connect\$4) same client)same (network\$3 near3 process\$3)) and (handshak\$3 or (line near3 discipline) or protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:50
S17	0	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114" and (((tcp near3 connect\$4) same client)same (network\$3 near3 process\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:52
S18	0	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and ((control\$4 or network\$3) near3 process\$3) and (bundl\$3 near3 messag\$3) and @ad<"20031114" and (((tcp with connect\$4) same client)same (network\$3 with process\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:01
S19	97	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and @ad<"20031114" and (((tcp with connect\$4) same client)same (network\$3 with process\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:02
S20	8	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and @ad<"20031114" and (((tcp near3 connect\$4) same client) same (network\$3 near3 process\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:24
S21	2	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (load near3 balanc\$3) and @ad<"20031114" and (((tcp near3 connect\$4) with (receiv\$3 or request\$3)) same client) same (network\$3 near3 process\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:26

EAST Search History

S22	2	"20030231625" and ((tcp with connect\$4) or ((network\$3 or control\$4) near3 (process\$3 or cpu)) or bundle or (load near3 balanc\$3) or farm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:29
S23	971188	@ad<"20031114" and ((tcp with connect\$4) or ((network\$3 or control\$4) near3 (process\$3 or cpu)) or bundle or (load near3 balanc\$3) or farm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:32
S24	80	@ad<"20031114" and (tcp near3 connect\$4) and ((network\$3 or control\$4) near3 (process\$3 or cpu)) and bundle and (load near3 balanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:44
S25	86	@ad<"20031114" and (tcp near3 connect\$4) and (control\$4 near3 (process\$3 or cpu)) and bundl\$3 and (load near3 balanc\$3) and (network\$3 near3 traffic\$3) and (network\$3 near3 (process\$3 or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:49
S26	42	@ad<"20031114" and (tcp near3 connect\$4) and (control\$4 near3 (process\$3 or cpu)) and bundl\$3 and (load near3 balanc\$3) and (reduc\$3 near3 (network\$3 near3 traffic\$3)) and (network\$3 near3 (process\$3 or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:51
S27	10	@ad<"20031114" and (tcp near3 connect\$4) and ((control\$4 or central\$2) near3 (processor or cpu)) and bundl\$3 and (load near3 balanc\$3) and (reduc\$3 near3 (network\$3 near3 traffic\$3)) and (network\$3 near3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 15:16

EAST Search History

S28	3	@ad<"20031114" and (tcp near3 connect\$4) and ((control\$4 or central\$2) near3 (processor or cpu)) and (bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and (load near3 balanc\$3) and (reduc\$3 near3 (network\$3 near3 traffic\$3)) and (network\$3 near3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 15:22
S29	1012	@ad<"20031114" and (bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:40
S30	385	@ad<"20031114" and ((bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) same transmi\$5) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 16:11
S31	12	@ad<"20031114" and ((tcp and messag\$3) same ((bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) same transmi\$5)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 16:30
S32	2057	@ad<"20031114" and ((tcp and messag\$3) same (((bundl\$3 or packet\$7) with (network\$3 or traffic\$3 or messag\$3)) same transmi\$5)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 16:30
S33	187	"20040008619" "7149769" "6640238" "6640244" "6615253" "6438594" "6332163" "6549949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:20
S34	0	709/225/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:59

EAST Search History

S35	0	709/225\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:59
S36	52272	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:59
S37	0	"709"/223\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:59
S38	0	"709"/223\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:59
S39	5621	"709"/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:00
S40	2714	"709"/225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:04
S41	14	"709"/225.ccls. and bundl\$3 and (load\$3 near3 balanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:05

EAST Search History

S42	20527	"709"/225.ccls. and (bundl\$3 and (load\$3 near3 balanc\$3)) or ((network\$3 near3 (processor or cpu)) and ((control or central) near3 (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:09
S43	2	"709"/225.ccls. and (bundl\$3 and (load\$3 near3 balanc\$3)) and((network\$3 near3 (processor or cpu)) and ((control or central) near3 (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:14
S44	0	("2006/0031490").URPN.	USPAT	OR	ON	2007/03/06 14:12
S45	0	("2005/0108397").URPN.	USPAT	OR	ON	2007/03/06 14:13
S46	19	"709"/\$.ccls. and (bundl\$3 and (load\$3 near3 balanc\$3)) and ((network\$3 near3 (processor or cpu)) and ((control or central) near3 (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:18
S47	2829	basso.in. damon.in. fontes.in. verrilli.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:25
S48	135	S47 and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:25
S49	135	S47 and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:26
S50	108	S47 and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:27

EAST Search History

S51	108	S47 and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 15:27
S52	1	S47 and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and @ad<"20031114" and bundl\$3 and network\$3 and (central or control) and processor and tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 15:29
S53	3	ibm.as. and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and @ad<"20031114" and bundl\$3 and network\$3 and (central or control) and processor and tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 15:30
S54	24	("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and @ad<"20031114" and bundl\$3 and (network\$3 near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 15:43
S55	8	"709"/\$.ccls. and @ad<"20031114" and bundl\$3 and ((network\$3 or distribut\$3) near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 15:45
S56	18	@ad<"20031114" and bundl\$3 and ((network\$3 or distribut\$3) near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3)) and (load near3 (shar\$3 or balanc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 15:46
S57	84	@ad<"20031114" and (bundl\$3 or packet\$3) and ((network\$3 or distribut\$3) near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3)) and (load near3 (shar\$3 or balanc\$3)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 16:30

EAST Search History

S58	3	S57 and bundl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 16:19
S59	100	@ad<""20031114"" and (bundl\$3 or packet\$3) and ((network\$3 or distribut\$3) near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3)) and (load near3 (shar\$3 or balanc\$3)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and ((transmit\$4 or send\$3 or serv\$3) near3 (bundl\$3 or packet\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 16:34
S60	17	@ad<""20031114"" and (bundl\$3 or packet\$3) and ((network\$3 or distribut\$3) near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3)) and (load near3 (shar\$3 or balanc\$3)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (((transmit\$4 or send\$3 or serv\$3) near3 (bundl\$3 or packet\$3)) with ((central or control) near3 processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 16:36
S61	15	@ad<""20031114"" and (bundl\$3 or packet\$3) and ((network\$3 or distribut\$3) near3 processor) and ((central or control) near3 processor) and (tcp near3 (session or request or connect\$3)) and (load near3 (shar\$3 or balanc\$3)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) and (((transmit\$4 or send\$3 or serv\$3) near3 (bundl\$3 or packet\$3)) with ((central or control) near3 processor)) and ((receiv\$3 or get\$4) with (session or request or connect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:22
S62	1	"20030126233" and (tcp near3 (session or request or connect\$3)) and ((receiv\$3 or get\$4) with (session or request or connect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:25

EAST Search History

S63	1	"20030126233" and (tcp near3 (session or request or connect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:26
S64	0	"20030126233" and (tcp near3 (session or request or connect\$3)) same (network adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:27
S65	21	"709"/\$.ccls. and (tcp near3 (session or request or connect\$3)) same (network adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:27
S66	16	"709"/\$.ccls. and (tcp near3 (session or request or connect\$3)) same (network adj processor) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:30
S67	16	"709"/\$.ccls. and (tcp near3 (session or request or establish\$3 or connect\$3)) same (network adj processor) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:32
S68	1	"709"/\$.ccls. and (tcp near3 (session or request or establish\$3 or connect\$3)) same (network adj processor) and @ad<"20031114" and client and ((transmi\$5 or send\$3) same ((control\$4 or central) adj (processor)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/06 17:36
S69	1	"5166674".PN.	USPAT; USOCR	OR	ON	2007/03/06 17:43
S70	645	"5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531" "20020107990" "20020120741"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:47

EAST Search History

S71	275	("5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531" "20020107990" "20020120741") and "709"/\$.ccls. and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:48
S72	275	("5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531" "20020107990" "20020120741" "7032037") and "709"/\$.ccls. and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:54
S73	90	("5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531" "20020107990" "20020120741" "7032037") and "709"/\$.ccls. and @ad<"20031114" and tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:55
S74	22	("5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531" "20020107990" "20020120741" "7032037") and "709"/\$.ccls. and @ad<"20031114" and tcp and ((flow\$3 or traffic\$3) with (reduc\$4 or less\$5 or minim\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:57
S75	1	("5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531" "20020107990" "20020120741" "7032037") and "709"/\$.ccls. and @ad<"20031114" and tcp and ((flow\$3 or traffic\$3) with (reduc\$4 or less\$5 or minim\$5)) and ((control\$4 or central\$4) adj processor) and ((network\$3 or distribut\$3) adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:59

EAST Search History

S76	18	("20020107990" "20020120741" "5166674" "5226120" "5577032" "5655120" "5666488" "5870566" "5933596" "5933606" "6259699" "6438135" "6505254" "6560606" "6606643" "6721794" "6745286" "6782531").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/06 18:00
S77	2	"7032037"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:12
S78	0	"7032037" and (((reduc\$4 or less\$5) adj2 (flow\$3 or traffic or congest\$3)) with (network\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:27
S79	0	"7032037" and (((reduc\$4 or less\$5) near3 (flow\$3 or traffic or congest\$3)) with (network\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:16
S80	0	"7032037" and ((reduc\$4 or less\$5) near3 (flow\$3 or traffic or congest\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:16
S81	1	"7032037" and ((reduc\$4 or less\$5) with (flow\$3 or traffic or congest\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 09:17
S82	4	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and (((reduc\$4 or less\$5) adj2 (flow\$3 or traffic or congest\$3)) with (network\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:42

EAST Search History

S83	8	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and ((network\$ or distribut\$3) adj (processor or cpu)) and ((central\$4 or control\$4) adj (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 12:52
S84	3	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and ((network\$ or distribut\$3) adj (processor or cpu)) and ((central\$4 or control\$4) adj (processor or cpu)) and (tcp with (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:42
S85	0	"7032037" and ((network\$ or distribut\$3) adj (processor or cpu)) and ((central\$4 or control\$4) adj (processor or cpu)) and (tcp with (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:43
S86	0	"7032037" and ((network\$ or distribut\$3) with (processor or cpu)) and ((central\$4 or control\$4) with (processor or cpu)) and (tcp with (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:44
S87	1	"7032037" and ((network\$ or distribut\$3) with (processor or cpu)) and ((central\$4 or control\$4) with (processor or cpu)) and (tcp same (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:13
S88	1	"7032037" and (packet\$3 or bundl\$3) with (tcp or request\$3 or info\$7 or connect\$3 or establish\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:16

EAST Search History

S89	54	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and ((farm or cluster\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:23
S90	3	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and ((farm or cluster\$3)) and ((control\$3 or central\$4) adj (processor or cpu)) and ((network\$3 or distribut\$3) adj (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:20
S91	1	"7032037" and ((farm or cluster\$3)) and ((control\$3 or central\$4) adj (processor or cpu)) and ((network\$3 or distribut\$3) adj (processor or cpu)) and (packet\$7 or bundl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 18:59
S92	4	"6671725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:42
S93	38	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and (load adj balanc\$3) and ((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$6 or ack\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:40
S94	31	("20030126233" or "20050055435" or "20030231625" or "7032037" or "6453360" or "6356951" or "5828846" or "6345301" or "20060168274" or "6389468" or "6263368" or "6272522") and (load adj balanc\$3) and ((packet\$3 or fram\$3 or bundl\$3) near3 (terminat\$3 or fin\$6 or ack\$8))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:42

EAST Search History

S95	0	("709"/\$.ccls. or "370"/\$.ccls.) and @ad<"2003114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) near3 (terminat\$3 or fin\$6 or ack\$8) near3 (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:44
S96	0	("709"/\$.ccls. or "370"/\$.ccls.) and @ad<"2003114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) near3 (terminat\$3 or fin\$6 or ack\$8) with (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:44
S97	0	("709"/\$.ccls. or "370"/\$.ccls.) and @ad<"2003114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$6 or ack\$8) with (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:47
S98	0	@ad<"2003114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$6 or ack\$8) with (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:48
S99	0	@ad<"2003114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$6 or ack\$8)) with (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:49
S10 0	626	(load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$3 or ack)) with (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:38
S10 1	0	@ad<"2003114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$3 or ack)) with (info\$7 or list\$3 or table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:50

EAST Search History

S10 2	0	@ad<"20031114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$3 or ack)) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:53
S10 3	568	@ad<"20031114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$3 or ack)) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 12:54
S10 4	434	@ad<"20031114" and (load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$3 or ack)) with (info\$7 or list\$3 or table or stor\$3 or memor\$3))) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:13
S10 5	3	@ad<"20031114" and (load adj balanc\$3) and ("709"/\$.ccls. or "370"/\$.ccls.) and ((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) same ((network\$4 or distribut\$3) near3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:27
S10 6	0	@ad<"20031114" and (load adj balanc\$3) and ((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) same ((network\$4 or distribut\$3) near3 (processor or cpu)) same (tcp near3 (session or connect\$3 or establish\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:29
S10 7	0	@ad<"20031114" and (load adj balanc\$3) and ((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) same ((network\$4 or distribut\$3) near3 (processor or cpu)) same (tcp with (session or connect\$3 or establish\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:29

EAST Search History

S10 8	1	(load adj balanc\$3) and ((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) same ((network\$4 or distribut\$3) near3 (processor or cpu)) same (tcp with (session or connect\$3 or establish\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:30
S10 9	0	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) same ((network\$4 or distribut\$3) near3 (processor or cpu)) same (tcp with (session or connect\$3 or establish\$4)) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:33
S11 0	112	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) and ((network\$4 or distribut\$3) near3 (processor or cpu)) and (tcp with (session or connect\$3 or establish\$4)) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:34
S11 1	55	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) and ((network\$4 or distribut\$3) near3 (processor or cpu)) and (tcp with (session or connect\$3 or establish\$4)) and @ad<"20031114" and "709"/\$.cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:34
S11 2	9	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) and ((network\$4 or distribut\$3) near3 (processor or cpu)) and (tcp with (session or connect\$3 or establish\$4)) and @ad<"20031114" and "709"/\$.cccls. and (load near3 (balanc\$3 or shift\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:41

EAST Search History

S113	7	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) and ((network\$4 or distribut\$3) near3 (processor or cpu)) and ((terminat\$3 or fin\$3 or ack) with tcp with (session or connect\$3 or establish\$4)) and @ad<"20031114" and "709"/\$.ccls. and (load near3 (balanc\$3 or shift\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:51
S114	0	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) and ((network\$4 or distribut\$3) near3 (processor or cpu)) same((terminat\$3 or fin\$3 or ack) with tcp with (session or connect\$3 or establish\$4)) and @ad<"20031114" and "709"/\$.ccls. and (load near3 (balanc\$3 or shift\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:54
S115	4	((transmit\$4 or send\$3) with (packet\$3 or fram\$3 or bundl\$3)) with ((terminat\$3 or fin\$3 or ack) with (info\$7 or list\$3 or table or stor\$3 or memor\$3)) and ((network\$4 or distribut\$3) near3 (processor or cpu)) and ((terminat\$3 or fin\$3 or ack) with tcp with (cpu or processor) with (session or connect\$3 or establish\$4)) and @ad<"20031114" and "709"/\$.ccls. and (load near3 (balanc\$3 or shift\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:16
S117	1	"20020116475" and (tcp with (request)) and (network near3 processor) same (bundle or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:18
S118	1	"20020116475" and (packet near3 information)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/09 13:37
S119	0	"20020116475" and (extract\$3 near3 information)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/09 13:37

EAST Search History

S12 0	1	"20020116475" and ((packet near3 information) with (inic same stack))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/09 13:41
S12 1	1	"20020116475" and (((packet near3 information) with (inic same stack)) with client)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/09 14:36
S12 2	0	"7032037" and (fast adj path adj packet\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/09 14:37
S12 3	22	(load adj balanc\$3) and (((packet\$3 or fram\$3 or bundl\$3) with (terminat\$3 or fin\$3 or ack)) with (info\$7 or list\$3 or table))) and @ad<"20031114" and (fast adj path) and (slow adj path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:40
S12 4	1	@ad<"20031114" and (bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)and @ad<"20031114" and (fast adj path) and (slow adj path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:43
S12 5	0	@ad<"20031114" and (bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)and @ad<"20031114" and ((fast adj path) same ((network\$3 or distribut\$3) adj (processor or cpu))) and ((slow adj path) same ((control\$3 or central\$3 or main) adj (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:46
S12 6	0	@ad<"20031114" and (bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and @ad<"20031114" and ((fast adj path) same ((network\$3 or distribut\$3) adj (processor or cpu))) and ((slow adj path) same ((control\$3 or central\$3 or main) adj (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:47
S12 7	0	(bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and @ad<"20031114" and ((fast adj path) same ((network\$3 or distribut\$3) adj (processor or cpu))) and ((slow adj path) same ((control\$3 or central\$3 or main) adj (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:47

EAST Search History

S12 8	1	(bundl\$3 with (network\$3 or traffic\$3 or messag\$3)) and ((fast adj path) same ((network\$3 or distribut\$3) adj (processor or cpu))) and ((slow adj path) same ((control\$3 or central\$3 or main) adj (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 14:48
S12 9	3	((fast adj path) same ((network\$3 or distribut\$3) adj (processor or cpu))) and ((slow adj path) same ((control\$3 or central\$3 or main) adj (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:33
S13 0	1	"20020116475" and (tcp with (request)) and (network near3 processor) and (bundle or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:25
S13 1	0	"7032037" and (program\$5 with memor\$3 with medi\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:33
S13 2	1	"7032037" and (program\$5 with memor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:34
S13 3	0	"7032037" and (program\$5 with medi\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:35
S13 4	0	"7032037" and (program\$5 same medi\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:35

EAST Search History

S13 5	1	"7032037" and (program\$5 same (medi\$2 or stor\$3 or memor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:41
S13 6	2	"6973503" and (program\$5 same (medi\$2 or stor\$3 or memor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:51
S13 7	1	"6973503" and (program\$5 same (medi\$2 or stor\$3 or memor\$3 or comput\$3 or product) same ((network\$3 or distribut\$3) near3 (processor or cpu) same ((control\$4 or central) near3 (processor or cpu))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 15:55
S13 8	1	"6973503" and ((program\$5 same (medi\$2 or stor\$3 or memor\$3 or comput\$3 or product) same ((network\$3 or distribut\$3) near3 (processor or cpu) same ((control\$4 or central) near3 (processor or cpu)))) same (memor\$3 or stor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:06
S13 9	1	"6973503" and (program\$5 same (medi\$2 or stor\$3 or memor\$3 or comput\$3 or product)) same ((network\$3 or distribut\$3) near3 (processor or cpu)) same ((control\$4 or central) near3 (processor or cpu)) same (memor\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:27
S14 0	1	"6973503" and (fast same slow same path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:34
S14 1	1	"6973503" and (program\$5 same (medi\$2 or stor\$3 or memor\$3 or comput\$3 or product)) and ((network\$3 or distribut\$3) near3 (processor or cpu)) and ((control\$4 or central) near3 (processor or cpu)) and (memor\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:27

EAST Search History

S14 2	1	"6973503" and (memor\$3 same (network and control))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:35
S14 3	1	"6973503" and (memor\$3 same network) and (memor\$3 same control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:36
S14 4	1	"6973503" and (memor\$3 same (network near3 processor)) and (memor\$3 same (control near3 processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:39
S14 5	425110	"6973503" and (memor\$3 same (network near3 processor)) and (memor\$3 same (control near3 processor)) or (program same memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:40
S14 6	1	("6973503" and (memor\$3 same (network near3 processor)) and (memor\$3 same (control near3 processor))) or ("6973503" and (program same memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 16:40